



PRODUCTION INFORMATION

This information is provided to assist you in planning an event in the San Diego Civic Theatre. Should additional information be required, please feel free to contact us for prompt attention. Larger scale versions of the drawings included here are also available.

# San Diego Theatres welcomes the opportunity to work with you and to make your event a success.

## **GENERAL ACCESS**

Ticket Sales & Information . . . . (619) 570-1100

## **Ticketing Services**

## **Production & Facility Services**

Theatre Location . . . . . . . . . . . . . . . . Third Avenue and "B" Street

San Diego, CA 92101

Theatre Ticket Office . . . . . . . . Third Avenue and "B"Street

(mail)

Civic Theatre Ticketing 1100 Third Avenue San Diego, CA 92101

Administration and . . . . . . . . San Diego Theatres

Mailing Address 1100 Third Avenue


San Diego, CA 92101


Loading Dock

## **GENERAL INFORMATION**

The Civic Theatre is a 2,967 capacity performing arts venue located in downtown San Diego. It is the performing home of the San Diego Opera, Broadway/San Diego and regularly hosts performances of the California Ballet, touring orchestras and dance companies, Broadway musicals and plays, concerts, film presentations, lectures, etc. The Theatre is owned by the City of San Diego and operated by San Diego Theatres for the benefit of the community.

An 1,150 car parking garage is located across the plaza adjacent to the Civic Theatre.





## PRODUCTION INFORMATION

Production crews are members of IATSE, Local #122

# **Proscenium Opening**

Height	 																29'-6	õ
Width	 																56'-0	)


## **Selected Measurements**

Proscenium to Up-Stage Wall (up/down stage) 5	55'-3
Curtain Line to Apron Edge	6'-0
Last set of lines to Back Wall	9'-0
Floor to Grid	31'-0
Stage at Curtain Line to Balcony Rail	3'-7
Stage at Curtain Line to Follow Spot Booth 15	51'-0

The Stage is constructed of soft wood covered with 1/4" masonite. The performance area is painted black. The standard Orchestra Pit accommodates approximately 45 musicians and the Extended Pit accommodates about 60 musicians. Exact capacity will vary depending on the quantity and types of instrumentation utilized. Use of the Standard Pit will reduce audience seating capacity by 55, the Extended Pit reduces capacity by 90 seats.

The loading dock is at street level and will hold two (2) semis. Because the vehicle area slopes down to the dock, trailers over 13´-6 high will have difficulty clearing the outer door, especially when empty.

Empty trailers are to be removed from the dock. Please contact the Production Office if holding/staging areas are needed.



## **COUNTER-WEIGHT PLOT**

SET		
Eiro C	Curtain/Proscenium	0′ 3″
1	Teaser	0′ 9″
-		
2	Tormentor	1′ 6″
3	House Curtain	2′ 2″
4	Black Border	2′ 9″
5		3′ 8″
6	#1 Electric	4′ 3″
7		4′ 11″
8		5′ 6″
9	#1 Black Border	6′ 5″
10	#1 Black Leg	7′ 1″
11		7′ 6″
12		8′ 9″
13		9′ 8″
14		10′ 3″
15		11′ 0″
16		11′ 6″
17		12′ 2″
18		13′ 0″
19	#2 Black Border	13′ 6″
20	#2 Black Leg	14′ 2″
21	#2 Electric	14′ 8″
22	"2 Diccure	15′ 5″
23		16′ 2″

ITEM		
24		16′ 8″
25		17′ 5″
26		18′ 0″
26a	Wire Guide*	19′ 5″
27	NO SET	
28	NO SET	
29		20′ 2″
30		20′ 8″
31		21′ 6″
32		22′ 2″
33	#3 Black Border	23′ 0″
34	#3 Black Leg	23′ 6″
35	#3 Electric	24′ 2″
36		24′ 9″
37		25′ 5″
38		26′ 2″
39		26′ 9″
40	Full Stage Black	27′ 05″
41		28′ 2″
42		28′ 9″
43		29′ 6″
44		30′ 2″
45		30′ 9″
46		31' 5"

LOCA	TION	
47		32′ 2″
48	#4 Black Border	32′ 7″
49	#4 Black Leg	33′ 2″
50	#4 Electric	33′ 8″
51		34′ 9″
52		35′ 5″
53	Stage-Right Ladders	Muled
54		36′ 8″
55	Stage-Left Ladders	Muled
56		38′ 1″
57	NO SET	
58	NO SET	
59	#5 Black Border	39′ 4″
60	#5 Black Legs	40′ 0″
61		40′ 6″
62	#5 Electric	41′ 2″
63		43′ 2″
64		43′ 9″
65		44′ 6″
66	White Scrim	45′ 6″
67	Full Stage Black	46′ 2″
67a	Wire Arbor Guide*	47′ 11″
68		49′ 5″
68a	Wire Guide	50′ 5″

Generally, most linesets have a 1600# capacity - check with house before using.

There are 64 sets of counter-weighted lines on steel guides, and three sets on wire rope guides. All sets are on 8" centers where possible. All sets can be cleared and flown to the grid to a minimum of 65'.

\*Wire Guide sets cannot be loaded from bridge. Must be loaded from deck. Each has a 400# capacity.

The battens are 70' long and are of pipe truss construction.

The Front Curtain is manually operated and can be either flown or drawn. Front Curtain and associated tormentors and teaser are red in color. Other house goods are black. Standard House Opening is 52' for the Torms, 44' for all Black goods.


Fly Floor is Stage-Right on Deck. #1 Loading Bridge is 45' above stage and #2 is 70'. Grid Height is 81'. Pin Rail is Stage-Right on Deck.

Proscenium is 56' w x 29'6" h

Note: Stage-Right and Stage-Left side tabs are hung off stage of side ladders.



Civic Theatre Loading Dock Third Ave. and C St.



# **CROSS SECTION**

Δ	0	stage	arid.

D

Ε

F

B Near Box Boom – 28' to curtain line

**C** Far Box Boom – 48' to curtain line

High Bay – 96' from curtain line

Balcony Rail - 94' from curtain line

Mezzanine Rail - 86' to curtain line

Road mix position

H House Lighting Control Booth

Follow Spot Booth - 151' to curtain line



## SOUND SYSTEMS

The house speaker system is a 4-way JBL cluster centered overhead of the proscenium with added delay systems for loge and balcony coverage. Touring productions are urged to use the system to provide general house fill as it has been balanced for the hall. Stage mounted systems will generally not provide adequate coverage for the balcony areas. The house sound console is an Allen&Heath DLiveS7000, 32-channel mixer located at the front of the stage-right lower loge.

For road systems, a mix position is available for use at the rear of the Dress Circle, just off-center to stage right, so a minimum of 250' of cable must be provided by the sound company. Use of this location typically results in a loss of 27 seats. The number of seats lost also depends on the equipment and working requirements of the operator(s)—

seat "kills" may range from 27 to 41 or more seats. The labor costs associated with the removal and re-installation of mixer seats or any other seats are assessed to the user/licensee.

Stage Manager's position is traditionally Stage-Right with communications available to all positions in the Theatre.

Program material and backstage paging are available in the dressing rooms and backstage area.

This Theatre is equipped with a Sound Associates infra-red listening system to assist the hearing impaired. An audio feed from the touring console is requested for the operation of this system. The theatre is also equipped with audio description listening devices.

## **ELECTRICAL INFORMATION**

Two ETC Eos Lighting Control Boards with Network ETC Net 3 is located in the lighting control booth at the rear of the Mezzanine.

The system incorporates DMX 512 protocol nodes located throughout the Theatre which are connected via an Ethernet-based data distribution system. The system connects to five hard-wired Sensor Plus dimmer racks in the under-stage basement and an additional 96 dimmer portable rack located on the stageright patch bay shelf.

Intercom and program material are wired to the booth.

## DMX locations:

- Mid-house designer's location with a network tap allowing connection to a portable network node.
- 7 Permanent

Highbay, Dress Circle, Box Booms Right and Left, Mezzanine Rail, Eyebrow and Downstage Right.

- 15 Portable Nodes
  - 5 House Overstage Electrics
  - 2 Stage Ladders
  - 5 'Stand By'
  - 1 Input Gateway
  - 1 Output Gateway
  - 1 Midhouse Designer with Network Switch to allow connection to lighting network.

#### Power consists of:

- Two road switches, rated at 400 amps each, 3 phase 110/220 (1,200 total amps per switch) are located stage-rig ht, cam lock tie in.
- One isolated road switch, rated at 200 amps,
   3 phase 110/220 (300 total amps) located on the downstage left basement, dedicated for sound.
- One 100 amp, 3 phase 110/220 (300 amps) are located up stage-right on the loading dock.
- One 100 amp, 3 phase 110/220 (300 amps) are located upstage left.
- One additional road switch, rated at 400 amps,
   3 phase (1,200 total amps), located stage-right
   can be made available—rental fee applies.

The follow-spot booth is at the rear of the Balcony, 151' from stage. The booth has four (4) Lycian 3,000 watt Xenon Followspots and provisions for additional projection. Intercom and program material are wired to the booth.

A total of 546 circuits are available on stage and in the house. All circuits are minimum 20 amp. All circuits are equipped with the appropriate 3-pin stage connector. The principal lighting positions available in front of the proscenium include:

High Bay (cove) 28 circuits—In the ceiling above

the orchestra section

are 24 Ellipsoidal Reflector Spots-750 w.

Proscenium Wells 8 circuits per side - Located Stage-

Right and Left, just off the apron, these alcoves have adjustable lighting positions from stage level to 30' above the stage floor.

Balcony Rail 36 circuits Mezzanine Rail 24 circuits

Far Box Booms 16 circuits per side—Located directly

above the front of the Upper Loges Stage-Right and Left the booms are unmasked 20' vertical pipes for mounting

instruments on sidearms.

Near Box Booms 6 circuits per side-Located 30' downstage

of Proscenium (approx. 1/2 way to Far Boom Box). Right and Left Booms are unmasked 16' pipes. Note: Pipes are stowed folded against wall and

must be unfolded to be used.

	STAGE CIRCUIT DETAIL		
CIRCUIT QUANTITY	RECEPTACLE LOCATION	AMPACITY	NOTES
36	Balcony Front	20	
28	House High Bay		
24	Mezzanine Rail		
16	Box Boom, Stage-Rig ht		
16	Box Boom, Stage-Left		
8	Proscenium, Down Stage-Right Wells		
8	Proscenium, Down Stage-Left Wells		
4	Proscenium, Stage-Left		
4	Proscenium, Stage-Right		
36	Anti Proscenium	20	A,B
36	1st Electric	20	
32	2nd Electric	20	
30	3rd Electric		
30	4th Electric		
24	5th Electric	20	
4	5th Electric	50	A,B
48	Floor Pockets	20	
18	Stage-Right Electrics Ladder	20	A
18	Stage-Left Electrics Ladder	20	A
96	Portable Dimmer Rack Patch Panel	20	C
8	Houselight Control	50	

554 – 20 Amp Dimmer Cubicles with connected Load Receptacles 4 – 50 Amp Dimmer Cubicles with connected Load Receptacles

Note A) Load Circuit(s) parallel with other(s)

- B) Road Patch panel located Down Stage-Right
- C) Portable Dimmer Rack is located on the Patch Bay shelf stage-right

#### **EQUIPMENT INFORMATION**

Equipment Provided at No Charge - Subject to Availability

Curtains Black legs and Borders

Black Back Drop

White Scrim

Microphones AKG 451 EB, Shure SM 81

(first 3 no charge)

**PZM** Sennheiser 421

Shure SM 57, SM 58, SM 99 Sony ECM SO Lavaliere Countryman Isomax 4

Direct boxes

Lecterns Free-Standing

Music Equipment Conductor's podium

Music Stands with and without lights

INSTRUMENT TYPE	DEGREE	INVENTORY
Source 4-5° addition 5° barrels	5°	15 20
Source 4's-10° (can be lensed for 5°)	10°	28
Source 4's-14°	14°	12
Source 4's-19°	19°	105
Source 4's-26°	26°	90
Source 4's-36°	36°	61
Source 4's-50°	50°	6
Source 4's PARNEL	variable	14
Source 4's-PAR	VN/N/M/W lens	66
Color Blaze TRX 6' section <sup>S</sup>		10
FOLLOWSPOTS - Lycian 3K		4

<sup>\*</sup>House hang available upon request.

Inventory subject to current availability and includes instruments both in house and in storage

Equipment Available on Rental Basis-Rates Upon Request

Pianos

Concert Grand 9' Baldwin 1 available Baby Grand 5'7" Steinway 1 available Upright Yamaha concert 1 available

Orchestra Shell walls and ceilings

Additional PA Full range cabinets with JBL subs Yamaha wedges and JBL SR cabinets Monitor System Intercom System Clear Com, plus 4 wireless headsets Follow Spots Lycian 3,000 watt, 1293, Xenon 4 Wireless Microphone Shure ULX/D-4 and ULX/P-3

(hand held and lavaliere)

Risers

Ballet Dance Floor d'Ansur modular sprung flooring,

to 64' wide x 48' deep and

Harlequin surface

Tape Machines

CD Player/Rec. Tascam Cassette Tascam

6 telephone lines have been Telephones

> permanently installed in the backstage area for production use (a usage fee

will apply).

Please contact the Production staff for available locations or to arrange special or additional installations.

Courtesy Phone Dressing Room area Stage Left

No charge for local calls


Genie 36' AWP 2 available-first one at no charge

Internet Broadband A hard-wired connection is available in

> the Green Room and can be extended to the Dressing Rooms. Wireless service is available throughout the Dressing

Room area and Backstage. (an access fee will apply.)

Washer & Dryer 3 sets located in the understage area



The rehearsal hall may be available to events using the main stage, subject to prior rental for other users. The dimension

of the rehearsal hall is approximately 53' 11" by 44' 3".

## DRESSING ROOMS

There are 15 dressing rooms available on two floors stageleft. At full capacity, these facilities will accommodate 92 people. All dressing rooms are equipped with mirrors, lights, wash basins, clothes racks, convenience outlets, etc. Toilet facilities and showers are nearby (Dressing Rooms #1 and #2 have private restrooms and showers). Drinking water is available throughout the facility. Three sets of washer and dryer are available for use (rental fee applies) and are located in the storage area below stage, stageright. A small Company/Show Office space is available in the dressing room area. Six telephone lines are available, 4 in Green Room, 2 in 'Office' (rental charges apply).

STAIRS TO UPSTAIRS, CIVIC THEATRE PRODUCTION

SERVICES OFFICE &

HOUSE ACCESS

SODA MACHINE


WORK


ROOM

C STREET


STAIRS TO BASEMENT

3RD AVENUE





# CIVIC THEATRE SEATING CONFIGURATION





TOTAL SEATING CAPACITY2,967
UPPER LEVEL Balcony
MIDDLE LEVEL  Mezzanine (incl. 12 wheelchair locations) 422  Lower Loges
DRESS CIRCLE Fixed (incl. 12 wheelchair locations) 394 Mixer Seats
ORCHESTRA Fixed (incl. 12 wheelchair locations) 1,128 Removable Seating Row CC
ORCHESTRA PIT IN USE Standard Pit—remove AA & BB Revised Capacity2,912 Extended Pit—remove CC also Revised Capacity2,887



1100 Third Avenue
San Diego California 92101
619.615.4000 619.615.4001 FAX
www.sandiegotheatres.org